

Ogrodzimy co chcesz...



... dostarczymy gdzie chcesz.

# PRODUCT CATALOGUE 2020



JARMEX GROUP **25 years**



# ABOUT THE COMPANY

## JARMEX GRUP

P.P.H.U. JARMEX Jarosław Jaskólski

JARMEX sp. z o. o. sp. k.

JARMEX TRANS sp. z o. o. sp. k.

P.P.H.U. JARMEX Jarosław Jaskólski has been established in 1994. It is a private company based in 100% on the owner's capital. On October 1st 2016 the company underwent restructuring. It has been divided into companies which deal respectively with production and services in terms of the metal industry – JARMEX sp. z o. o. sp. k. as well as transport – JARMEX TRANS sp. z o. o. sp. k. Today we are a family company managed by Jarosław Jaskólski and his sons: Michał and Tomasz.

The Group currently employs more than 180 people in all branches of its business (production, transport-shipping, trade, and services). Each month the production plant processes more than 1000 tons of steel which we use to make various products. We possess the ISO 9001:2015 quality management certificate which guarantees the quality of offered products.



## PRODUCTION

### WELDED MESH

For more than 25 years, Jarmex has been renowned for producing various types of welded mesh. We make them from wire from 03 to 08 mm and different mesh sizes from 20 mm to 150 mm. The maximum size is 2500 x 4000 mm.

### AUTOMATIC GARAGE DOORS

We are a manufacturer of the highest quality garage doors. Our doors are a premiere product made with great passion. All the components the doors are made of come from our Italian partner. They meet the most stringent standards of safety, air permeability and water penetration.

### FENCING AND AUTOMATION

We offer ready-made fence modules for self-assembly. The proposed products come in a wide range of designs and colors. Thanks to the self-assembly, the customer receives the product at a very reasonable price and satisfaction with the fence made by himself. The company also offers an assembly service based on befriended companies.




## TRANSPORT AND SHIPPING

The beginning of transport at the Jarmex company reaches as far back as 1994. For the first ten years of its activity the company owned just a few vehicles, of various brands, used for own purposes. Due to establishing the State Shipping in 1998 the fleet began to be used to provide transport services. In 2006 we've made a decision to develop our shipping business over European countries and to unify the fleet. We've decided to purchase Renault cars. For the semitrailers we've chosen the Kögel and Wielton brands which are highly valued by the industry. Currently we possess more than 60 trucks with semitrailers (own and employed carriers). They are mostly ecologic trucks meeting the Euro 5 and 6 emission norms. We plan to purchase following sets in the near future. Caring for their proper use and technical condition, in 2015 we've built a service hall and washing station. We've provided the facilities with high quality equipment.



## WELDED MESHES

EFFICIENCY  
DURABILITY  
VARIOUS APPLICATIONS



## GARAGE DOORS

INDIVIDUALISM  
INNOVATIVENESS  
STYLE



## FENCING SYSTEMS

FUNCTIONALITY  
PRECISION  
ESTHETICS




## TRANSPORT AND SHIPPING

CARE FOR THE CLIENT  
SAFETY  
TIMELINESS



# TABLE OF CONTENTS

<b>I.</b>	<b>WELDED MESHES</b>	<b>6</b>
<b>II.</b>	<b>AUTOMATIC GARAGE DOORS</b>	<b>7</b>
1.	GARAGE DOOR MOTOR	9 - 10
<b>III.</b>	<b>FENCING SYSTEMS</b>	<b>11 - 13</b>
1.	PPS	11
2.	PPW	12
3.	PPC	13
<b>IV.</b>	<b>DECORATIVE FENCES</b>	<b>14 - 25</b>
1.	BOLZANO	14
2.	RIMINI	15
3.	ROMA	16
4.	ANCONA	17
5.	TRENTO	18
6.	TORINO	19
7.	BERGAMO	20
8.	GENUA	21
9.	MILANO	22
10.	PARMA	23
12.	GABION FENCES	24
12.	ASSEMBLY ACCESSORIES FOR FENCING SYSTEMS	25
<b>V.</b>	<b>GATE AUTOMATICS</b>	<b>26 - 27</b>
1.	DOUBLE LEAF GATE MOTOR	26
2.	SELF-SUPPORTING GATE MOTOR	27
<b>VI.</b>	<b>TRANSPORT AND SHIPPING</b>	<b>28</b>
<b>VII.</b>	<b>SERVICING TRUCK AND BUS VEHICLES</b>	<b>29</b>



The main production of the "JARMEX" company consists in many types of welded meshes for various applications. We manufacture meshes in different sizes, mesh sizes, and wire diameters, in accordance with the client's needs. We also manufacture various elements for metal containers (locks, mandrels, pressed, drilled, turned elements, etc.


## SQUARE MESHES

Example dimensions: 20 x 20 mm, 25 x 25 mm, 30 x 30 mm, and their multiplicity. There is the possibility to order other mesh dimensions.

## RECTANGLE MESHES

At the length of L 2500 mm the dimensions of the meshes are at: 20 mm, 25 mm, 30 mm, and their multiplicity, at the length of L 4000 mm the dimensions of the meshes start at 20 mm.

The mesh dimensions are provided in an axial manner.



# GARAGE DOORS



We are a manufacturer of the highest quality garage doors. Our doors constitute a premiere product manufactured with great passion. All components from which the doors are made come from our Italian partner and meet even the most rigorous norms concerning safety, air permeability, and water penetration. There is the possibility of automation and selecting a custom color.

## COLORS



WHITE 9010




ANTHRACITE



DARK OAK - THE COLOR OF NUT WOOD



LIGHT OAK - THE COLOR OF GOLDEN OAK



POLISH PRODUCT



LOW THERMAL TRANSMITTANCE




EASY ASEMBLY



POSSIBILITY OF AUTOMATION



CERTIFICATE OF MEETING EUROPEAN NORMS



## ADVANTAGES

- Made in Poland.
- Safe doors – double protection against falling and an additional roller protection.
- 3 years of warranty.
- Sectional panel – thickness 40 mm, perforation warranty 5 years.
- An automation of the Italian DEA company included in the product's price.
- The set includes 2 remotes.
- High quality components.
- Easy assembly.
- All connecting elements necessary to assemble the doors included in the set.
- Lintel height at only 180 mm.
- High packing quality, protecting against damages during transport.
- Available for immediate delivery.
- The possibility to deliver directly to the client.



POLISH PRODUCT



LOW THERMAL  
TRANSMITTANCE



EASY ASEMBLY




POSSIBILITY OF  
AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS



# GARAGE DOOR MOTOR



## TEO JARMEX set

Automation for sectional and tilt garage doors.

TEO JARMEX constitutes a new motor for sectional and tilt garage doors at 24 V. It is a solution which is economic and easy to assemble.

TEO automation includes a central control unit with a built-in 433 MHz radio receiver. The engine's case includes buttons which allow to easily program it without the need to remove the cover.

- A steel busbar with a chain, guaranteeing maximum durability.
- The length of the busbar at 3300 mm, maximum door opening up to 2300 -2400 mm.
- Built-in lighting.
- Engine including an encoder – used for automatic position detection.
- An anti-crushing sensor.
- Automatic speed and slowing down regulation when opening and closing.
- The possibility to program the automation with products by other producers.
- At the client's wish there is the possibility to purchase a device for emergency external unlocking.




**NEW**

## SPACE JARMEX SET

Automation for sectional and up-and-over garage doors with springs.

SPACE JARMEX is a new operator for sectional and up-and-over garage doors with springs and wicket doors. SPACE automation is equipped with a NET control panel, a two-channel remote control and additionally a wall bracket.

- A 2-channel encoder motor.
- Built-in centring unit with receiver.
- Programming of up to 100 different parameters.
- Quick motor mounting on a rail.
- Fixed, automatic motion and force adjustment.
- Secured programming procedure.
- Rail with belt (silent operation).
- Door opening sensor protection.
- Possibility to install a contractron for alarm.
- Possibility of installing photocells.
- Anti-crush sensor.
- Smartphone control (additional option).




# FENCING SYSTEMS


## PPS SYSTEM

We advise using PPS panels for private houses, companies, as well as sports and commercial facilities. The easiness of assembly, regardless of the ground level, is ensured by the connecting elements which quantity is determined by the height of the fence. The fence set includes posts with caps, panels, and fittings.

The wire gauge, size of meshes, and mesh inflections ensure the stiffness and durability of the finished fence. The system includes available: posts, a door, double leaf gate, and self-supporting gate.




**Door**  
wing  
width: 900 mm,  
height up to: 2000  
mm



**Fence panel**



**Double leaf gate**  
Max. width up to 7500 mm  
Max. height up to 2600 mm



**Self-supporting gate**  
Max. width 9000 mm or 8000 mm  
Max. height 2000 mm or 2400 mm

### Available panel types

Height [mm]	Eye 60 $\phi$ 3,8	Eye 50 $\phi$ 4	Eye 50 $\phi$ 5
630	■	■	■
830	■	■	■
1030	■	■	■
1320	■	■	■
1520	■	■	■
1720	■	■	■
2000	■	■	■
2210		■	■
2500			■

### Available post types

Height [mm]	60 x 40 x 1,5	60 x 40 x 2	$\phi$ 40 x 1,5
1500	■		■
1600		■	
1800	■	■	
2100	■	■	■
2400	■	■	
2700	■	■	
3000	■	■	



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

The fence panels are protected with a: hot-dip galvanization layer (galvanized version) in accordance with the EN-ISO 1461 DIN 50976 tZnO norm, or a zinc and powder coating (painted version) in accordance with the EN-ISO 12944-5 norm in the following RAL colors:

■ green 6005, ■ black 9005, ■ anthracite 7016, ■ brown 8017, ■ blue 5010, ■ grey 7040, ■ grey 7021 and other colors at an additional fee.


# FENCING SYSTEMS

## PPW SYSTEM

The PPW fence panel is perfect for sports fields, warehouses, industrial plants, and airports. The fence set includes posts with caps, a 2505 mm wide panel, and fittings.

Panel – horizontal wires  $\varnothing 6$ , vertical wires  $\varnothing 5$ .

The system includes available: posts, a door, double leaf gate, self-supporting gate.




Wire span and gauges

### Available panel sizes

Height [mm]	Pole height [mm]	Amount of mounting brackets
1030	1800	2
1230	1800	3
1430	2100	3
1630	2100	3
1830	2400	3
2030	2700	4
2230	3000	4
2430	3000	5

### PPW fence panel



POLISH PRODUCT



POSSIBILITY TO PAINT WITH RAL COLORS



ANTI-CORROSION PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS SECTION



EASY ASSEMBLY



POSSIBILITY OF AUTOMATION



CERTIFICATE OF MEETING EUROPEAN NORMS

The fence panels are protected with a: hot-dip galvanization layer (galvanized version) in accordance with the EN-ISO 1461 DIN 50976 tZnO norm, or a zinc and powder coating (painted version) in accordance with the EN-ISO 12944-5 norm in the following RAL colors:

■ green 6005, ■ black 9005, ■ anthracite 7016, ■ brown 8017, ■ blue 5010, ■ grey 7040, ■ grey 7021 and other colors at an additional fee.


## PPC SYSTEM

The semi-heavy fence panel with a horizontal bar is perfect for sports fields, warehouses, industrial plants, airports, but also private houses, etc.



The fence system includes posts with caps, panels, and fittings.

There is the possibility to prepare panes in versions decorated with the following designs: "circle", "X", and "clubs".

The system includes available: posts, a door, double leaf gate, self-supporting gate.



Wire span



Fence panel – "clubs" decoration



Fence panel – "circle" decoration




Fence panel – "X" decoration

### Dostępne wielkości paneli

Height [mm]	Pole height [mm]	Amount of mounting brackets
630	1600	2
830	1600	2
1030	1800	2
1230	1800	3
1430	2100	3
1630	2100	3
1830	2400	3
2030	2700	4
2230	3000	4
2430	3000	5

### PPC fence panel



POLISH PRODUCT



POSSIBILITY TO PAINT WITH RAL COLORS



ANTI-CORROSION PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS SECTION



EASY ASSEMBLY



POSSIBILITY OF AUTOMATION



CERTIFICATE OF MEETING EUROPEAN NORMS

The fence panels are protected with a: hot-dip galvanization layer (galvanized version) in accordance with the EN-ISO 1461 DIN 50976 tZnO norm, or a zinc and powder coating (painted version) in accordance with the EN-ISO 12944-5 norm in the following RAL colors:

■ green 6005, ■ black 9005, ■ anthracite 7016, ■ brown 8017, ■ blue 5010, ■ grey 7040, ■ grey 7021 and other colors at an additional fee.

## BOLZANO SYSTEM




**BOLZANO** – it is a fencing system made of closed profiles. Modern design is emphasized by laser burnt decorations. The fencing set consists of a span, wicket, gate, columns 70 x 70 x 2 for spans and 100 x 100 x 3 for gates and wickets and mounting accessories. Galvanized and powder coated elements.

Dimensions of the double-leaf gate	Width of leafs	3975 mm
	Height	1520 mm
Span dimensions	Width	1970 mm
	Height	1020 mm
Door dimensions	Width	936 mm
	Height	1520 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1470 mm
	Total leaf width	4000 mm



POSSIBILITY  
OF AUTOMATION



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## RIMINI SYSTEM



**NEW**

RIMINI – it is a fencing system made of closed profiles, a pattern that will fit perfectly into any architecture. The fencing set consists of span, wicket, gate, columns 70 x 70x 2 for spans and 100 x 100 x 2 for gates and wickets and mounting accessories. Galvanized and powder coated elements.

Dimensions of the double-leaf gate	Width of leafs	3970 mm
	Height	1400 mm
Span dimensions	Width	2000 mm
	Height	1200 mm
Door dimensions	Width	930 mm
	Height	1400 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1440 mm
	Total leaf width	4000 mm



**POSSIBILITY  
OF AUTOMATION**



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## ROMA SYSTEM




The ROMA system – it is a fencing system made from closed profiles. These are durable and simple fences. Perfect for private houses and estates. The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings. The system is protected against corrosion by galvanizing and a powder coating.

Dimensions of the double-leaf gate	Width of leaves	2970 or 3970 mm
	Height	1400 mm
Span dimensions	Width	2000 mm
	Height	1200 mm
Door dimensions	Width	936 mm
	Height	1400 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1370 mm
	Total leaf width	6000 mm



POSSIBILITY  
OF AUTOMATION



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS



## ANCONA SYSTEM




The **ANCONA system** – it is a fencing system made from closed profiles, decorated with a diamond shape in its top part. Perfect for private houses and estates. The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings. The system is protected against corrosion by galvanizing and a powder coating.

Dimensions of the double-leaf gate	Width of leaves	3970 mm
	Height	1450 mm
Span dimensions	Width	2000 mm
	Height	1250 mm
Door dimensions	Width	936 mm
	Height	1450 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1390 mm
	Total leaf width	6000 mm



**POSSIBILITY  
OF AUTOMATION**



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## TRENTO SYSTEM



The **TRENTO system** constitutes an innovation among fencing systems which consists in a unique mounting system. Raw, durable, and beautiful. The simplicity, esthetics, and durability of the construction allow to fence your property in a luxurious manner. The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings.

Dimensions of the double-leaf gate	Width of leaves	3972 mm
	Height	1400 mm
Span dimensions	Width	2000 mm
	Height	1200 mm
Door dimensions	Width	936 mm
	Height	1400 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1350 mm
	Total leaf width	6000 mm



**POSSIBILITY  
OF AUTOMATION**



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## TORINO SYSTEM



The **TORINO system** – an analogy of the mythical bull Toro which defeated a dragon. An esthetic, durable, and everlasting design. The hot-dip galvanizing combined with a powder coating and the used materials result in a perfect composition. Perfect for fencing houses and estates.

The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings.

Dimensions of the double-leaf gate	Width of leaves	3972 mm
	Height	1450 mm
Span dimensions	Width	2000 mm
	Height	1250 mm
Door dimensions	Width	936 mm
	Height	1450 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1400 mm
	Total leaf width	6000 mm



**POSSIBILITY  
OF AUTOMATION**



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## BERGAMO SYSTEM



The **BERGAMO system** – the Garibaldi and Nullo of design. The hot-dip galvanizing combined with a powder coating and the used materials create a protective profile for your estate. Perfect for fencing houses and estates. With its design it refers to the look of wooden rails.

The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings.

Dimensions of the double-leaf gate	Width of leaves	3972 mm
	Height	1450 mm
Span dimensions	Width	2000 mm
	Height	1250 mm
Door dimensions	Width	936 mm
	Height	1450 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1400 mm
	Total leaf width	6000 mm



**POSSIBILITY  
OF AUTOMATION**



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## GENUA SYSTEM



The **GENUA system** – a fence of two faces. The stability of land and the dynamics of the sea. The mythical Janus among fences. The hot-dip galvanizing combined with a powder coating and the used materials result in a perfect composition. Perfect for fencing houses and estates.

The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings.

Dimensions of the double-leaf gate	Width of leafs	3972 mm
	Height	1450 mm
Span dimensions	Width	2000 mm
	Height	1250 mm
Door dimensions	Width	936 mm
	Height	1450 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1400 mm
	Total leaf width	6000 mm



**POSSIBILITY  
OF AUTOMATION**



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## MILANO SYSTEM



The **MILANO system** – modern and open to the world, like the beating heart of design and science. The hot-dip galvanizing combined with a powder coating and the used materials create a protective profile for your estate. The construction profiles and laser decorated steel create a durable and esthetic composition. Perfect for fencing private houses or estates.

The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings.

Dimensions of the double-leaf gate	Width of leaves	3972 mm
	Height	1450 mm
Span dimensions	Width	2000 mm
	Height	1250 mm
Door dimensions	Width	936 mm
	Height	1450 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1400 mm
	Total leaf width	6000 mm



**POSSIBILITY  
OF AUTOMATION**



Door


Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION



EASY ASSEMBLY



POSSIBILITY  
OF AUTOMATION



CERTIFICATE OF  
MEETING EUROPEAN  
NORMS

## PARMA SYSTEM



FILLING AT A 30° ANGLE

The **PARMA system** – the rebirth of a lasting and safe design style. The renaissance of reliable and durable products giving satisfaction combined with esthetics. The hot-dip galvanizing combined with a powder coating and the used materials result in a perfect composition. The construction profiles and filling create a composition bringing to mind window blinds. Perfect for fencing private houses or estates.

The fencing system includes a span, door, gate, 70 x 70 posts for spans, 100 x 100 posts for gates and doors, as well as fittings.

Dimensions of the double-leaf gate	Width of leafs	3972 mm
	Height	1450 mm
Span dimensions	Width	2000 mm
	Height	1250 mm
Door dimensions	Width	936 mm
	Height	1450 mm
Dimensions of the self-supporting gate	Opening width	4000 mm
	Height	1400 mm
	Total leaf width	6000 mm



**POSSIBILITY OF AUTOMATION**



Door

Fence panel

Double leaf gate

Self-supporting gate



POLISH PRODUCT



POSSIBILITY TO PAINT WITH RAL COLORS



ANTI-CORROSION PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS SECTION



EASY ASSEMBLY



POSSIBILITY OF AUTOMATION




CERTIFICATE OF MEETING EUROPEAN NORMS


## GABION FENCES



A gabion fence consists of posts made from cold formed bars with fasteners and clamps. The filling consists of a fence panel at any desired height, in accordance with the client's wish. Stones in various colors are arranged between the panels in many different designs. This fence may constitute the perfect decoration for your estate. At the client's wish we construct also wall bases and gabion posts.



Fencing system



Underpinning with gabion poles



Fencing system "Light"



POLISH PRODUCT



POSSIBILITY TO PAINT  
WITH RAL COLORS



ANTI-CORROSION  
PROTECTION  
HOT-DIP GALVANIZED  
POWDER COATED



THICK PROFILE CROSS  
SECTION




EASY ASSEMBLY




CERTIFICATE OF  
MEETING EUROPEAN  
NORMS



## FOR FENCING SYSTEMS



Caps




Rectangle post cap



Round post cap



Nut cap



Wire bracket



Avo-Clip



Hook bolt with a shear nut




Self drilling metal screw



M8x25 carriage bolt



Fastening clamp



Mounting bracket RIMINI, ROMA



Wire clasp, panel connector



Middle bracket



Starting bracket



Corner bracket




Middle bracket for round posts



Starting bracket



Decorative span holder




Self-supporting gate receiver



Plastic roller



End roller



Self-supporting gate upper holder



Self-supporting gate carrier with base



Lock inserts



Escutcheon plate with a handle




Door knob



Electric lock with fittings



Electric lock cassette



Hook lock



Mortise lock



Gate lock



Bottom gate lock



Bolt hinge



Screw-in hinge



Hinge with a fastener



Stirrup bracket



Structural channel for fastening a decorative slab



Guide band



Double sided slab



Straight concrete connector



Washed slab



End concrete connector

# DOUBLE LEAF GATE MOTOR

3 years of warranty for the correct functioning between temperatures from  $-20^{\circ}$  to  $+50^{\circ}\text{C}$ . A 100% Italian product, a complete set with the CE marking: actuator x 2, central unit in a waterproof case, an LED lamp with an antenna, anti-crushing photocells x 2, and a double-channel remote – ensures safe work. All moving elements and components are made from the highest quality, Teflon-free, metal materials. The motor includes mechanical limit switches and does not require to additionally block the leaves. The movement is executed with the use of a worm screw – does not suck moisture into the engine, completely self-breaking. An automatic closing function.


Gate opening speed	25 sec.
Gate leaf	to 600 kg
Max. lenght of leaf	to 3 m.
Power	230V
Max. opening angle	$110^{\circ}$
Possibility of declutching	YES
Internal antenne	YES
Engine	230V
Max. amount of cycles per day	90
Max. amount of remote controls	30
Photocell	YES
Complete set weight	21 kg




- the possibility to program many remotes
- the possibility to program with a house intercom
- the possibility to communicate with a cell phone



## KIT MAC JARMEX set Assembly on a steel post



## Zestaw KIT MAC JARMEX Assembly on a concrete post



# SELF-SUPPORTING GATE MOTOR



## The LIVI 6NET set

A set for self-supporting gates of up to 600 kg. Includes: an electric geared motor with a base, lamp with an antenna, 1 set of photocells, 2 double-channel remotes, and a NET230N central unit.

## The LIVI 9NET set

A set for self-supporting gates of up to 900 kg. Includes: an electric geared motor with a base, lamp with an antenna, 1 set of photocells, 2 double-channel remotes, and a NET230N central unit.



- The possibility to program many remotes.
- The possibility to program with a home intercom.
- The possibility to communicate with a cell phone.



# TRANSPORT AND SHIPPING



The shipping staff consists of specialists with many years of experience in the transport trade, working in teams of experienced, skilled, and ambitious people.

All shipping-transporting operations are subject to protection on the base of the Carrier's Liability Insurance in terms of national, international and cabotage transport.

The ISO 9001:2015 quality management certificate, the Reliable Company certificate, and the Certificate of a Reliable Carrier issued by the TRANS Road Transport Platform, all guarantee the quality of the services offered by us. The company takes advantage of a GPS Vehicle Monitoring System which allows for real-time information concerning executing orders and shipment locations.



# SERVICING TRUCKS

## SCOPE OF SERVICES

### 1. Technical services.

- Oil exchange.
- Exchanging oil, air, power steering, Ad-blue, and other filters.
- Lubrication.
- Regulating.

### 2. Current repairs.

### 3. Computer diagnostics.

### 4. Selling and exchanging spare parts.


Offer directed to all truck and semitrailer brands and types, as well as delivery vehicles.



# CONTACT

## HEAD OFFICE

JARMEX sp. z o. o. sp. k.  
26-600 Radom, ul. Potkanowska 50  
GPS  
N-51°21'41" E-21°06'25"  
NIP 9482606064  
REGON 363989981



## OFFICE

SECRETARIAT  
phone. 48 362 56 83 ext. 21  
fax. 48 360 14 05 ext. 24  
e-mail: [jarmex@jarmex.com.pl](mailto:jarmex@jarmex.com.pl)

## PRODUCTION

PRODUCTION PLANT  
phone 48 360 14 05, ext. 42, 46, 47  
fax. 48 384 61 69

## TRADE AND MARKETING DEPARTMENT

phone 48 360 14 05 ext. 41  
fax. 48 360 14 05 ext. 43  
e-mail: [export@jarmex.com.pl](mailto:export@jarmex.com.pl)

## TECHNICAL DEPARTMENT

phone 48 360-14-05 ext. 49

## ACCOUNTING

phone 48 362 56 83 ext. 23  
fax. 48 362 56 83 ext. 24  
e-mail: [ksiegowosc@jarmex.com.pl](mailto:ksiegowosc@jarmex.com.pl)

## TRANSPORT AND SHIPPING

TRANSPORT  
phone 48 366 58 85 ext. 34, 36  
fax. 48 385 75 50  
e-mail: [transport@jarmex.com.pl](mailto:transport@jarmex.com.pl)  
SHIPPING  
phone 48 366 58 85 ext. 32, 33  
Fax. 48 385 75 50  
e-mail: [spedycja@jarmex.com.pl](mailto:spedycja@jarmex.com.pl)

## TRUCK SERVICE

Radom, ul. Potkanowska 50  
phone 48 366 58 85 ext. 25



Ogrodzimy co chcesz...



... dostarczymy gdzie chcesz.

# PRODUCT CATALOGUE 2020

[WWW.JARMEX.COM.PL](http://WWW.JARMEX.COM.PL)



**JARMEX GROUP** *25 years*