

Ogrodzimy co chcesz...



PRODUCT CATALOG 2026

OBI®

JARMEX GROUP
www.jarmex.com.pl



P.P.H.U Jarmex Jarosław Jaskólski was established in 1994. It is a private enterprise, based 100% on the owner's capital.

We are a family company, managed by Jarosław Jaskólski and his sons: Michał and Tomasz. The JARMEX Group employs over 200 employees in all branches of its activity (production, transport – forwarding, trade, services). We process over 1,000 tons of steel per month, from which we manufacture various types of products. The guarantee of the quality of the offered products is the ISO 9001:2015 quality management certificate.

FENCING AND AUTOMATION

We offer ready-made fencing modules for self-assembly. The proposed products are available in a wide range of designs and colors. Thanks to self-assembly, the customer receives a product at a very affordable price and the satisfaction of a self-made fence.

TRANSPORT AND FORWARDING

During the first years, transport vehicles were used for its own purposes. In 1998, the Domestic Forwarding division was established, and the fleet also began to be used for the provision of transport services within the country. In 2006, we expanded our transport activity to European countries. Currently, there are over 60 tractor units with semi-trailers in forwarding.





Hot-dip galvanized fence panel is a durable solution that enables quick fencing of your property. It works perfectly as fencing for sports facilities, commercial sites, companies, and private properties.

The panel has been hot-dip galvanized, thanks to which it exhibits high resistance to corrosion. Thanks to the appropriate wire thickness (3.1 mm) and mesh size (8 × 20 cm), the fence is rigid and durable.

Mounting accessories are not included with panel systems.

PRODUCT	NAME	EAN
W/SLP/OBI/1700/R6005	FENCE POST H = 1700 RAL 6005	5907377386643
W/SLP/OBI/1700/R7016	FENCE POST H = 1700 RAL 7016	5907377386773
W/SLP/OBI/2000/C	FENCE POST H = 2000 GALVANIZED	5907377385981
W/SLP/OBI/2000/R6005	FENCE POST H = 2000 RAL 6005	5907377386650
W/SLP/OBI/2000/R7016	FENCE POST H = 2000 RAL 7016	5907377386780
W/SLP/OBI/2400/R6005	FENCE POST H = 2400 RAL 6005	5907377386681
W/SLP/OBI/2400/R7016	FENCE POST H = 2400 RAL 7016	5907377386797
W/SLP/OBI/2400/C	FENCE POST H = 2400 GALVANIZED	5907377386018
W/SLP/DS4/FN/R6005	GATE HINGE POST PPS LIGHT H = 1500 RAL 6005	5907377386667
W/SLP/DS4/FN/R7016	GATE HINGE POST PPS LIGHT H = 1500 RAL 7016	5907377386674
M/PPS/31/1530/R7016	PANEL PPS Ø 3.1 80 × 200 H = 1530 RAL 7016	5907377386285
W/PPS/31/1520/C	PANEL PPS Ø 3.1 80 × 200 H = 1520 GALVANIZED	5907377382546
M/PPS/31/1730/R6005	PANEL PPS Ø 3.1 80 × 200 H = 1730 RAL 6005	5907377386698
M/PPS/31/1530/R6005	PANEL PPS Ø 3.1 80 × 200 H = 1530 RAL 6005	5907377386278
M/PPS/31/1230/R6005	PANEL PPS Ø 3.1 80 × 200 H = 1230 RAL 6005	5907377386254
M/PPS/31/1230/R7016	PANEL PPS Ø 3.1 80 × 200 H = 1230 RAL 7016	5907377386261
W/PPS/DS/15/31/R7016	DOUBLE-LEAF GATE PPS LIGHT H = 1520 RAL 7016	5907377386704
W/PPS/DS/15/31/R6005	DOUBLE-LEAF GATE PPS LIGHT H = 1520 RAL 6005	5907377386711
W/PPS/FU/15/31/R6005	WICKET LEAF PPS LIGHT H = 1500 RAL 6005	5907377386728
W/PPS/FU/15/31/R7016	WICKET LEAF PPS LIGHT H = 1500 RAL 7016	5907377386735
W/SLP/125/FN/R7016	WICKET HINGE POST PPS LIGHT H = 2000 RAL 7016	5907377386759
W/SLP/125/FN/R6005	WICKET HINGE POST PPS LIGHT H = 2000 RAL 6005	5907377386742

ACCESSORIES

PRODUCT	NAME	EAN
W/PPS/FU/AKCES/C	ACCESSORIES FOR PPS LIGHT WICKET - GALVANIZED	5907377382706
W/PPS/DS/AKCES/W/C	ACCESSORIES FOR PPS LIGHT GATE - GALVANIZED	5907377380245
W/OPS/60/40/4M/C	INTERMEDIA BRACKET 60X40 GALVANIZED	5908264418027
W/OPS/60/40/4M/R6005	INTERMEDIA BRACKET 60X40 RAL 6005	5907377386605
W/OPS/60/40/4M/R7016	INTERMEDIA BRACKET 60X40 RAL 7016	5907377380207
W/ONR/60/40/4M/C	CORNER CLAMP 60X40 GALVANIZED	5908264418140
W/ONR/60/40/4M/R6005	CORNER CLAMP 60X40 RAL 6005	5907377386629
W/ONR/60/40/4M/R7016	CORNER CLAMP 60X40 RAL 7016	5907377380214
W/OP0/60/40/4M/C	INITIAL CLAMP 60X40 GALVANIZED	5908264418157
W/OP0/60/40/4M/R6005	INITIAL CLAMP 60X40 RAL 6005	5907377386612
W/OP0/60/40/4M/R7016	INITIAL CLAMP 60X40 RAL 7016	5907377380221


Fence panels are protected with: a hot-dip galvanized coating (galvanized version) in accordance with EN-ISO 1461 DIN 50976 tZnO standard or a galvanized coating and powder coating (painted version) in accordance with EN-ISO 12944-5 standard in RAL ■ 7016 anthracite matt color.



GENUA SYSTEM

GENUA system BLACK MATT STRUCTURE – galvanizing and powder coating along with the applied material create a perfect composition. It is perfectly suited for fencing houses and properties. The fencing set consists of a panel, wicket, gate, posts $70 \times 70 \times 2$ for panels, posts $100 \times 100 \times 2$ for gates and wickets, and mounting accessories. Due to the large size and solid construction of the KIT MAC JARMEX drive mechanism actuator, it is not possible to install a wicket and a double-leaf gate on one post. If such installation is necessary, two separate posts or a panel between the wicket and the gate are recommended. The gate is equipped only with mounting accessories. A set consisting of a lock, lock insert, and handle must be purchased separately for the gate. A strike box (latch box) in a matching RAL color must also be purchased for the post.

PRODUCT	NAME	EAN
W/GEN/FU/R9005M	GENUA WICKET DIMENSION = 938×1450 RAL 9005 MATT	5907377384601
W/GEN/PR/R9005M	GENUA PANEL DIMENSION = 1250×2000 RAL 9005 MATT	5907377384618
W/GEN/DS4/R9005M	GENUA DOUBLE-LEAF GATE DIMENSION = 1450×3972 RAL 9005 MATT	5907377384595
W/GEN/NDM4/R9005M/OBI	GENUA DOUBLE-LEAF GATE AUTOMATIC CONCRETE DIMENSION = 1470×3985 RAL 9005 MATT	5907377384571
W/GEN/NS4/R9005M/OBI	GENUA DOUBLE-LEAF GATE AUTOMATIC STEEL POST DIMENSION = 1470×3985 RAL 9005 MATT	5907377384588
W/GEN/PSL/R9005M	GENUA SLIDING GATE DIMENSION = 1400×4000 , LEFT, RAL 9005 MATT	5907377382249
W/GEN/PSP/R9005M	GENUA SLIDING GATE DIMENSION = 1400×4000 , RIGHT, RAL 9005 MATT	5907377382256
W/GEN/NSL/R9005M/N	GENUA SLIDING GATE, AUTOMATIC DIMENSION = 1400×4000 RAL 9005 MATT	5907377385684
W/GEN/NSP/R9005M/N	GENUA SLIDING GATE, AUTOMATIC DIMENSION = 1400×4000 , RAL 9005 MATT	5907377385691
W/SLO/P70/R9005M	POST FOR PANEL $70 \times 70 \times 2200$, RAL 9005 MATT	5907377384748
W/SLO/Z100/R9005M	GATE/WICKET POST $100 \times 100 \times 2200$, RAL 9005 MATT	5907377384786
W/UPO/R9005M	PANEL BRACKET RAL 9005 MATT	5907377382065
W/FU/ZES/KPL	HANDLE 90 + NARROW LOCK 90 + LOCK INSERT - SET	5907377380009
W/KFP/OP/R9005M	SCREW-MOUNTED GATE STRIKE BOX R9005M	5907377385837



POLISH PRODUCT



PANEL WEIGHT



ANTI-CORROSION
PROTECTION: HOT-DIP
GALVANIZING, POWDER
COATING



THICK PROFILE
CROSS-SECTION



EASY INSTALLATION



AUTOMATION
POSSIBILITY



EU COMPLIANCE
CERTIFICATE



PRATO SYSTEM

The classic appearance of the fence perfectly complements any property. Decorative elements of this fence are subtle forged details and an arched profile. This is an excellent option for people looking for economical solutions. All fencing elements have been hot-dip galvanized and powder coated in black matt color.

The gate is equipped only with mounting accessories. A set consisting of a lock, lock insert, and handle must be purchased separately for the gate. A strike box (latch box) in a matching RAL color must also be purchased for the post.

PRODUCT	NAME	EAN
W/PRA/FL/M9005	PRATO WICKET LEFT DIMENSION = 1400 × 900 RAL 9005 MATT	5907377386827
W/PRA/FP/M9005	PRATO WICKET RIGHT DIMENSION = 1400 × 900 RAL 9005 MATT	5907377386834
W/PRA/PR/M9005	PRATO PANEL DIMENSION = 1200 × 1800 GALVANIZED RAL 9005 MATT	5907377386810
W/PRA/DS4/M9005	PRATO DOUBLE-LEAF GATE DIMENSION = 1400 × 4000 RAL 9005 MATT	5907377386841
W/PRA/PSL/M9005	PRATO SLIDING GATE LEFT DIMENSION = 1350 × 4000 RAL 9005 MATT	5907377386858
W/PRA/PSP/M9005	PRATO SLIDING GATE RIGHT DIMENSION = 1350 × 4000 RAL 9005 MATT	5907377386865
W/SLO/P50/R9005M	POST FOR DECORATIVE PANEL 50 × 50 DIMENSION = 2000 RAL 9005 MATT	5907377386872
W/SLO/Z70/R9005M	HINGE POST 70 × 70 DIMENSION = 2200 RAL 9005 MATT	5907377386889
W/UPM/R9005M	PRATO PANEL BRACKET RAL 9005 MATT	5907377386902
W/FU/ZES/KPL	HANDLE 90 + NARROW LOCK 90 + LOCK INSERT - SET	5907377380009
W/KFP/OP/R9005M	SCREW-MOUNTED GATE STRIKE BOX R9005M	5907377385837



PRODUKT POLSKI



PANEL WEIGHT



ANTI-CORROSION
PROTECTION: HOT-DIP
GALVANIZING, POWDER
COATING



THICK PROFILE
CROSS-SECTION



EASY INSTALLATION




EU COMPLIANCE
CERTIFICATE



ROMA SYSTEM

ROMA system ANTHRACITE MATT STRUCTURE is a fencing system made of closed profiles. It is a durable and simple fence, ideally suited for fencing houses and properties. The fencing set consists of a panel, wicket, gate, posts $70 \times 70 \times 2$ for panels, posts $100 \times 100 \times 2$ for gates and wickets, and mounting accessories. Due to the large size and solid construction of the KIT MAC JARMEX drive mechanism actuator, it is not possible to install a wicket and a double-leaf gate on one post. If such installation is necessary, two separate posts or a panel between the wicket and the gate are recommended. The gate is equipped only with mounting accessories. A set consisting of a lock, lock insert, and handle must be purchased separately for the gate. A strike box (latch box) in a matching RAL color must also be purchased for the post.

PRODUCT	NAME	EAN
W/ROM/FL/R7016M	ROMA WICKET RIGHT DIMENSION = 938×1400 RAL 7016 MATT	5907377384717
W/ROM/FP/R7016M	ROMA WICKET LEFT DIMENSION = 938×1400 RAL 7016 MATT	5907377384724
W/ROM/PR/R7016M	ROMA PANEL DIMENSION = 1200×2000 RAL 7016 MATT	5907377384731
W/ROM/DS4/R7016M	ROMA DOUBLE-LEAF GATE DIMENSION = 1400×3970 RAL 7016 MATT	5907377384700
W/ROM/NDS4/M7016/OBI	ROMA DOUBLE-LEAF GATE WITH DRIVE PLUS	5907377384694
W/ROM/NMD4/M7016/OBI	ROMA DOUBLE-LEAF GATE, AUTOMATIC, CONCRETE, DIMENSION = 1400×3970 RAL 7016 MATT	5907377384687
W/ROM/PSP/R7016M	ROMA SLIDING GATE, RIGHT DIMENSION = 1370×4000 , RAL 7016 MATT	5907377382034
W/ROM/PSL/R7016M	ROMA SLIDING GATE, LEFT, DIMENSION = 1370×4000 , RAL 7016 MATT	5907377382027
W/ROM/NSL/R7016M/OBI	ROMA SLIDING GATE LEFT WITH LIVI DRIVE	5907377384236
W/ROM/NSP/R7016M/OBI	ROMA SLIDING GATE RIGHT WITH LIVI DRIVE	5907377384243
W/SLO/Z100/R7016M	HINGE POST $100 \times 100 \times 2200$ RAL 7016 MATT	5907377382096
W/SLO/P70/R7016M	POST FOR PANEL $70 \times 70 \times 2200$ RAL 7016 MATT	5907377382072
W/UPM/R7016M	PANEL BRACKET RAL 7016 MATT	5907377382041
W/FU/ZES/KPL	HANDLE 90 + NARROW LOCK 90 + LOCK INSERT - SET	5907377380009
W/KFP/OP/R7016M	SCREW-MOUNTED GATE STRIKE BOX R7016M	5907377385899



POLISH PRODUCT



PANEL WEIGHT



ANTI-CORROSION
PROTECTION: HOT-DIP
GALVANIZING, POWDER
COATING



THICK PROFILE
CROSS-SECTION



EASY INSTALLATION



AUTOMATION
POSSIBILITY



EU COMPLIANCE
CERTIFICATE



NOVARA SYSTEM

NOVARA is the best choice for people who value privacy and are looking for an elegant, modern, and unique fence. What distinguishes the NOVARA system are unique slats in the form of louvers set at a 5° angle, forming the infill of panels, wicket, and gate. Thanks to this, you can be sure that your private space will be protected in the best possible way due to its very low transparency. Discreet 10 mm gaps give the fence subtlety. The fence is coated with a zinc layer and powder coated. For panel installation, a set of dedicated brackets must be purchased. The gate is equipped only with mounting accessories. A set consisting of a lock, lock insert, and handle must be purchased separately for the gate. A strike box (latch box) in a matching RAL color must also be purchased for the post.

PRODUCT	NAME	EAN
W/NOV/FL/M7016	NOVARA WICKET LEFT, DIMENSION = 936 × 1470, RAL 7016 MATT	5907377384977
W/NOV/FP/M7016	NOVARA WICKET RIGHT, DIMENSION = 936 × 1470, RAL 7016 MATT	5907377384960
W/NOV/PR/1200/M7016	NOVARA PANEL DIMENSION = 1200 × 2000, RAL 7016 MATT	5907377384922
W/NOV/PR/1500/M7016	NOVARA PANEL DIMENSION = 1500 × 2000, RAL 7016 MATT	5907377384939
W/NOV/DS4/M7016	NOVARA DOUBLE-LEAF GATE, DIMENSION = 3985 × 1470, RAL 7016 MATT	5907377384991
W/NOV/NDM4/M7016	NOVARA DOUBLE-LEAF GATE, AUTOMATIC, CONCRETE, DIMENSION = 3985 × 1470, RAL 7016 MATT	5907377385196
W/NOV/NDS4/M7016	NOVARA DOUBLE-LEAF FRAME, AUTOMATIC STEEL POST DIMENSION = 3985 × 1470, RAL 7016 MATT	5907377385042
W/NOV/PSL/M7016	NOVARA SLIDING GATE, LEFT, DIMENSION = 1420 × 4000, RAL 7016 MATT	5907377385035
W/NOV/PSP/M7016	NOVARA SLIDING GATE, RIGHT, DIMENSION = 1420 × 4000, RAL 7016 MATT	5907377385028
W/NOV/NSP/M7016	NOVARA SLIDING GATE, AUTOMATIC, RIGHT, DIMENSION = 1420 × 4000, RAL 7016 MATT	5907377385066
W/NOV/NSL/M7016	NOVARA SLIDING GATE, AUTOMATIC, LEFT, DIMENSION = 1420 × 4000, RAL 7016 MATT	5907377385059
W/SLO/Z100/945/M7016	HINGE POST 100 × 100 × 2200, RAL 7016 MATT	5907377386896
W/UPO/R7016M	BRACKET FOR DECORATIVE PANEL INSTALLATION RAL 7016 MATT	5907377382058
W/FU/ZES/KPL	HANDLE 90 + NARROW LOCK 90 + LOCK INSERT - SET	5907377380009
W/KFP/OP/R7016M	SCREW-MOUNTED GATE STRIKE BOX R7016M	5907377385899



WICKET

FENCE PANEL

DOUBLE-LEAF GATE

SLIDING GATE



POLISH PRODUCT



NARROW / WIDE PANEL
WEIGHT



ANTI-CORROSION
PROTECTION: HOT-DIP
GALVANIZING, POWDER
COATING



THICK PROFILE
CROSS-SECTION



EASY INSTALLATION



AUTOMATION
POSSIBILITY



EU COMPLIANCE
CERTIFICATE



PRODUCT CATALOG 2026 **OBI**

Ogrodzimy co chcesz...



... dostarczymy gdzie chcesz.

JARMEX GROUP
www.jarmex.com.pl

